



SutphenComponent Report

Dealership: Vander Molen Fire Apparatus

HS-6452 Oswego, NY SL75

Contact: JOHN CHAWGO Position: ASST. CHEIF Phone: 315-342-8770

Email: jchawgo@oswegofire.org

Order#: SOB001982 Customer#: CTB002849

Bill To

Customer: CITY OF OSWEGO FIRE DEPARTMENT Contact: JOHN CHAWGO, ASSISTANT CHEIF

Address: 35 EAST CAYUGA STREET OSWEGO, NY 13126

Ship To

Customer: Same as Bill-to

Contact: JOHN CHAWGO, ASSISTANT CHEIF

Address: 35 EAST CAYUGA STREET OSWEGO, NY 13126

Comments

Project Coordinator: Adam Fout Sales Person: Nick Catalino Revision Level: *REV D.0 10/14/2019*

Truck Type: SL75
Body Facility: Hilliard

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|--|
| 1 | | 1 | APPARATUS MODEL = SL75 |
| 2 | | 1 | **ENG Facility = Hilliard |
| 3 | USA | 1 | USA |
| 4 | 10010006 | 1 | CHASSIS, CUSTOM |
| 5 | 51070232 | 1 | Wheelbase = 232 |
| 6 | | 1 | **ENG AF Number = 54 |
| 7 | | 1 | **ENG PA Number = 82 |
| 8 | 25010255 | 1 | FRAME, 10" DOUBLE RAILS, DOMEX, SINGLE AXLE (110K PSI) |
| 9 | 45010002 | 1 | FRONT TOW EYES, THROUGH BUMPER FACE |
| 10 | 45010015 | 1 | FRONT TOW EYE FINISH, PAINTED |
| 11 | | 1 | **ENG Painted cab color red |
| 12 | 46010000 | 1 | REAR TOW EYES |
| 13 | 40010250 | 1 | STEERING - ROSS TAS-85 |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|---|
| 14 | 22010000 | 1 | DRIVE LINE, SPICER, 1710 SERIES |
| 15 | 23014130 | 1 | ENGINE, CUMMINS L 9 450HP DOC-DPF-DEF-SCR OBD |
| 16 | 23029100 | 1 | ENGINE WARRANTY, 5 YEAR, 100,000 MILES FOR CUMMINS L9 |
| 17 | 23030006 | 1 | AIR INTAKE/EMBER SEPARATOR |
| 18 | 23031173 | 1 | FUEL FILTER/WATER SEPARATOR, PRIMARY, FLEETGUARD, FS1098 |
| 19 | 23031180 | 1 | 12VDC HEATER FOR FLEETGUARD FUEL/WATER SEPARATOR |
| 20 | 23031210 | 1 | FUEL FILTER, SECONDARY, FLEETGUARD, FF63009 |
| 21 | 23030700 | 1 | ELECTRIC FUEL PRIMER |
| 22 | 47012430 | 1 | TRANSMISSION, ALLISON GEN 5, EVS3000 |
| 23 | 23110005 | 1 | JACOBS ENGINE BRAKE FOR CUMMINS L ENGINES |
| 24 | 47024050 | 1 | TRANSMISSION COOLER |
| 25 | 47030000 | 1 | ALLISON TOUCH PAD SHIFTER |
| 26 | | 1 | **ENG Shifter Pad Gearing = 6 Gears open. |
| 27 | 21021200 | 1 | COOLING SYSTEM |
| 28 | 21030000 | 1 | FAN CLUTCH |
| 29 | 21030200 | 1 | RADIATOR COOLANT RECOVERY, PRESSURIZED SYST |
| 30 | 26010010 | 1 | FUEL TANK, STAINLESS STEEL, 65 GAL |
| 31 | 26030000 | 1 | FUEL FILL |
| 32 | 26030100 | 1 | FUEL COOLER |
| 33 | 24040000 | 1 | DIESEL EXHAUST FLUID TANK |
| 34 | | 1 | **ENG DEF Access = Hinged Door below aerial access ladder |
| 35 | 13010205 | 1 | ALTERNATOR, LEECE NEVILLE 320 AMP 4962PA |
| 36 | 15010500 | 1 | **REV A.0** BATTERIES, INTERSTATE TYPE 31 MHD (4) |
| 37 | 15031700 | 1 | BATTERY JUMPER TERMINALS |
| 38 | 15030430 | 1 | 120V SHORELINE INLET, KUSSMAUL SUPER 20 AUTO EJECT W/INTEGRATED BAR GRAPH DISPLAY |
| 39 | | 1 | **ENG Shoreline Inlet Location = Driver's side of Cab, standard location. |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|---|
| 40 | | 1 | **ENG Shoreline Cover Color = Red |
| 41 | 88250100 | 4 | **REV A.0** 120V OUTLET WIRED TO SHORELINE INLET - EA (4) |
| 42 | | 1 | **ENG Nema Number = 5-20 House Plug Duplex. |
| 43 | | 1 | **ENG Outlet Locations = (1) in L4 inboard wall toward the rear up high. (1) in R4 inboard wall toward the rear up high. (1) in the cab mounted on the driver side EMS beside the A/C hood, low to ensure its out of the way. (1) in the crew seat box, on the floor facing up in the middle against the back wall. |
| 44 | 15031560 | 1 | BATTERY CHARGER, KUSSMAUL LPC 40 |
| 45 | | 1 | **ENG Battery Charger Note: Body Facility to provide/install battery charger & Auto Eject (if applicable) |
| 46 | 14010527 | 1 | FRONT AXLE, MERITOR MFS-20-133A 23,000 LB. |
| 47 | 41010217 | 1 | SUSPENSION FRONT 23,000 LBS. 54" LEAF |
| 48 | 41030100 | 1 | SUSPENSION, ENHANCED SYSTEM |
| 49 | 43088888 | 1 | **REV A.0** SPECIAL FRONT TIRES MICHELIN 425/65R22.5 LRL XZY 22.5 X 12.25 WHEELS |
| 50 | | 1 | **ENG TIRE PRESSURE TAGS TO BE INSTALLED AT EACH TIRE (QTY 4) |
| 51 | 14510540 | 1 | REAR AXLE, MERITOR RS-30-185 31,000 LB. |
| 52 | | 1 | **CLAR NOTES, 6.14 REAR GEARS FOR OPTIMAL PERFORMANCE |
| 53 | 14530150 | 1 | TOP SPEED, 60 MPH |
| 54 | 14530325 | 1 | DRIVER CONTROLLED DIFFERENTIAL LOCK-MERITOR |
| 55 | 42010025 | 1 | SUSPENSION REAR FIREMAAX 31,000 LBS. AIR RIDE |
| 56 | 44010380 | 1 | TIRES, REAR, MICHELIN 315/80R22.5 LRL XDY MUD & SNOW 31,000 GVWR |
| 57 | 42910000 | 1 | TIRE PRESSURE MONITOR, CROSSFIRE |
| 58 | 44215210 | 1 | WHEELS, ALUM, ALCOA, DURABRITE (max 35K rear) |
| 59 | 44270100 | 1 | HUB COVERS, FRONT & REAR, POLISHED STS (Single Axle) |
| 60 | 44270300 | 1 | CHROME LUG NUT CAPS, FRONT & REAR (Single Axle) |
| 61 | 44271100 | 1 | MUD FLAPS, FRONT (PAIR) |
| 62 | 44271200 | 1 | MUD FLAPS, REAR (PAIR) |
| 63 | 16010009 | 1 | BRAKES MERITOR SCAM 6" FRONT, SCAM 7" REAR |
| 64 | 18010041 | 1 | AIR BRAKE SYST 4 TANKS WABCO 1200 DRYER |
| 65 | 18010048 | 1 | AUTOMATIC HEATED MOISTURE EJECTORS W/MANUAL PULL CABLE |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|--|
| 66 | | 1 | **ENG Wired to ignition power. |
| 67 | 18030110 | 1 | AIR OUTLET CONNECTION |
| 68 | | 1 | **ENG Air Outlet Location = Driver side pump panel - for filling water cans on scene, terminate female 1/4" NPT with ¼" NPT plug |
| 69 | 18030150 | 1 | AUXILIARY AIR INLET CONNECTION |
| 70 | | 1 | **ENG Air Inlet Location = driver's step well - install check valve behind cab wall, terminate female 1/4" NPT for F.D. to add quick connect to match firehouse air system. Add ½" NPT plug for shipping |
| 71 | 18220500 | 1 | NO ELEC STABILITY CONTROL SYS |
| 72 | 18110000 | 1 | WABCO 4 CHANNEL ANTI-LOCK BRAKES W/ASR |
| 73 | 18142000 | 1 | DEEP MUD/SNOW ON/OFF SWITCH ON DASH FOR ASR |
| 74 | 53510000 | 1 | COMPRESSION FITTINGS ON AIR SYSTEM (CHASSIS) |
| 75 | 54010000 | 1 | MISCELLANEOUS ITEMS ON CHASSIS |
| 76 | 54010100 | 1 | AERIAL CHASSIS PREP (SINGLE AXLE) |
| 77 | 11024250 | 1 | CAB TSAL4SE 73" 10" RR 1/2 |
| 78 | 11030025 | 1 | CAB CERTIFICATION - STRUCTURAL INTEGRITY |
| 79 | 11031025 | 1 | CAB TILT SYSTEM, AIR CONTROL VALVE |
| 80 | | 1 | **ENG Cab Tilt Controls = Officer's side Pump Panel. |
| 81 | 11031100 | 1 | MANUAL BACK-UP TILT SYSTEM |
| 82 | 11031355 | 1 | CAB DOORS, BARRIER STYLE |
| 83 | 11031360 | 1 | LOWER CAB STEP WELLS, SCORPION & TREADPLATE BACK & SIDE WALLS |
| 84 | 11031390 | 1 | AUXILIARY CAB STEPS, ALUM, SET OF 4 |
| 85 | 11038888 | 1 | SPECIAL ITEM, WHELEN LIGHT STRIP IN CAB STEP WELLS |
| 86 | | 1 | **ENG Whelen model number PSC0CDCR |
| 87 | 11031421 | 1 | CAB DOOR WINDOWS, POWER |
| 88 | 11031400 | 1 | DELETE CAB SIDE WINDOWS |
| 89 | 11031460 | 1 | NO WINDOWS, BACK WALL OF CAB |
| 90 | 11030215 | 1 | EXTERIOR COMPTS, SIDE OF EXT CAB, TRANSVERSE 37" H |
| 91 | 52010010 | 1 | SYNCHRONIZED ELECTRIC INTERMITTENT WIPERS |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|--|
| 92 | 27022000 | 1 | HANDRAILS, CAB, KNURLED STAINLESS STEEL |
| 93 | 27030600 | 1 | COAT HOOKS FOR GRAB HANDRAILS (4) |
| 94 | 27030007 | 1 | HANDRAILS, REAR CAB INTERIOR DOOR WINDOW KNURLED STS |
| 95 | 38010020 | 1 | MIRRORS LANG MEKRA 300 SERIES HEATED & REMOTE |
| 96 | 38030205 | 1 | BLIND SPOT MIRROR, VELVAC, ON CAB ROOF |
| 97 | 11024410 | 1 | **REV A.0** UPPER GRILLE, AMERICAN FLAG TUBULAR STYLE FACADE (L9) |
| 98 | 11024475 | 1 | **REV A.0** LOWER GRILLE, LASER CUT W / BACKLIGHTING |
| 99 | | 1 | **ENG "OSWEGO FIRE" Green LED |
| 100 | 20012220 | 1 | BUMPER, 24" FORMED STEEL CHANNEL, PAINTED |
| 101 | | 1 | **ENG Siren Speaker Perforations = No Speaker Perforations in Bumper. Painted cab color red. |
| 102 | 20088888 | 1 | **REV A.0** BUMPER TREADPLATE TOP TO BE RAPTOR COATED BLACK |
| 103 | 20029830 | 1 | BUMPER SIDES, PAINTED STEEL, W/POCKET (12-24" EXTENSION) |
| 104 | 20040215 | 1 | STORAGE WELL, DEEP CENTER, FULL WIDTH (24" BUMPER) |
| 105 | 20040300 | 1 | 1" LIP AROUND BUMPER TROUGH |
| 106 | 20030100 | 1 | **REV A.0** COVER FOR BUMPER TROUGH, TREADPLATE, 2" RAISE |
| 107 | | 1 | **ENG Coat lid and handle in black raptor. Cut half moon notches in both sides of the lid before raptor coating is applied. |
| 108 | 20088888 | 1 | SPECIAL ITEM, 3/16" ALUMINUM DIVIDER IN BUMPER TROUGH, FULL WIDTH |
| 109 | | 1 | **ENG For two bumper discharges. To be mounted to unistrut to allow the divider to be adjusted (front to back) or removed if necessary. Add turtle tile in the trough. |
| 110 | 20088888 | 1 | SPECIAL ITEM, SCORPION LINER, TOP EDGE OF PAINTED STEEL BUMPER, RED |
| 111 | 12010510 | 1 | AIR HORNS, DUAL, GROVER #1510 ROUND, 24" |
| 112 | | 1 | **ENG Air Horns Location: Outboard, (1) each side. |
| 113 | 12030205 | 1 | AIR HORNS WIRED TO STEERING WHEEL BUTTON |
| 114 | 12030350 | 1 | LANYARD CONTROL FOR AIR HORNS |
| 115 | 12510110 | 1 | ELEC SIREN, WHELEN 295HFS2, REMOTE FLUSH MOUNT |
| 116 | | 1 | **ENG Lower console panel 3 |
| 117 | 12620102 | 1 | SIREN SPEAKER, 100W, CAST PRODUCTS, SA4201-6B-A (PAIR) |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|--|
| 118 | 12670110 | 1 | SIREN SPEAKER(S) INSTALLED BEHIND CAB GRILLE |
| 119 | 12710100 | 1 | SIREN, FEDERAL Q2B, GRILLE MOUNT |
| 120 | 12730205 | 1 | MECH SIREN WIRED TO STEERING WHEEL BUTTON |
| 121 | | 1 | **ENG Siren Brake Switch for Driver. |
| 122 | 12730310 | 1 | FOOT SWITCH, OFFICER'S SIDE, FOR MECH SIREN – MOUNTED OUTBOARD |
| 123 | 12788888 | 1 | **REV C.0** DOUBLE MOMENTARY SWITCH ON DASH, OFFICER'S SIDE, FOR MECH SIREN |
| 124 | | 1 | **ENG One double momentary on/off/on switch for the q2b activation and brake. One side of switch activates the siren and other side activates the brake. Wired through parking brake and master emergency. |
| 125 | 32520520 | 1 | HEADLIGHTS, LED, FIRETECH FT-4X6, DUAL STS HOUSINGS |
| 126 | | 1 | **ENG HEADLIGHT INTERIOR FINISH, CHROME |
| 127 | 48010300 | 1 | FRONT TURN SIGNALS, WHELEN 400 SERIES LED (4) |
| 128 | 11035405 | 1 | DIAMONDPLATE REAR EXTERIOR WALL OF CAB (AERIAL OR TOP MOUNT) |
| 129 | 11088888 | 1 | SPECIAL ITEM, DIAMOND PLATE ON BACK OF CAB TO EXTEND AROUND SIDE OF CAB 1" |
| 130 | 11035435 | 1 | DIAMONDPLATE CAB ROOF, FULL WIDTH (AERIAL) |
| 131 | 11033202 | 1 | 3/16" SMOOTH ALUM BACK WALL & SIDE WALLS, INSIDE CAB |
| 132 | | 1 | **ENG 3/16 in. Aluminum Interior Back Wall – Finish Match Cab Interior. |
| 133 | 11088888 | 1 | **REV A.0** SPECIAL ITEM, STOKES BASKET MOUNTS ON CAB ROOF |
| 134 | | 1 | **ENG PAC Super Adjust-a-mounts mounted on the cab roof. Customer will provide a CMC tapered basket to mount on the cab roof. |
| 135 | 31010287 | 1 | INTERIOR, MULTISPEC GRAY SPECKLE PAINT W/GRAY-BLACK DURAWEAR |
| 136 | 11032929 | 1 | DOOR PANEL, FULL STS |
| 137 | 11032958 | 1 | REFLECTIVE MATL, INTERIOR CAB DOORS, REFLEXITE |
| 138 | | 1 | **ENG Reflective Striping Color = #030 Red Transparent & #L2 Fluorescent Lime. |
| 139 | | 1 | **ENG Reflective Striping Verbiage = SUTPHEN CUSTOM BUILT FOR OSWEGO |
| 140 | 31010290 | 1 | CAB INTERIOR FLOOR COVERING, GRAY RUBBERIZED |
| 141 | 11035375 | 1 | DIAMONDPLATE CAB FLOOR |
| 142 | 22510102 | 1 | ENGINE ENCLOSURE, FULL SIZE, WELDED ALUM |
| 143 | 22510530 | 1 | ENGINE ENCLOSURE COVERING, SCORPION BLACK URETHANE BLEND |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|--|
| 144 | 11031681 | 1 | TOOL MOUNTING PLATE, TOP OF ENGINE ENCLOSURE |
| 145 | 11031679 | 1 | **REV A.0** CENTER CONSOLE, TOP OF ENGINE ENCLOSURE |
| 146 | | 1 | **ENG CHF-4782 Mounted on top of the tool mounting plate |
| 147 | 11031701 | 1 | **REV A.0** GLOVE BOX HOLDERS IN UPPER CREW DOORS (SLANT BACK, RR) |
| 148 | 22610050 | 1 | ENGINE HOOD LIGHT, LED (1) |
| 149 | 11031510 | 1 | FLAT WORK SURFACE IN LIEU OF GLOVE BOX |
| 150 | 29810100 | 1 | CHASSIS ELECTRICAL DESCRIPTION |
| 151 | 30010135 | 1 | INSTRUMENTATION, AMETEK W/ CENTER & OVERHEAD CONSOLES (AERIALS) |
| 152 | | 1 | **ENG Overhead Console Panel's Finish: Black Wrinkle Finish. |
| 153 | | 1 | **REV C.0** **ENG Overhead Console Position 1 Switch #1: Emergency Master. Switch #2: Front Scene (Brow). Switch #3: Left Scene. Switch #4: Right Scene. Switch #5: Rear Scene. Switch #5: Blank Switch #7: Blank Switch #7: Blank Switch #8: Siren Brake Switch #9: Fan Switch |
| 154 | | 1 | **ENG Overhead Console Position 2 -Jensen Stereo. |
| 155 | | 1 | **ENG Overhead Console Position 3 -HVAC Controls. |
| 156 | | 1 | **ENG Overhead Console Position 4 -Warning IndicatorsSeat Belt Monitor. |
| 157 | | 1 | **ENG Overhead Console Position 5 -Blank |
| 158 | | 1 | **ENG Overhead Console Position 6 - knox box strobe. Tag "knox key" - Speedometer |
| 159 | | 1 | **ENG Overhead Console Position 7 -Blank |
| 160 | | 1 | **ENG Lower Command Console Finish Black Urethane. |
| 161 | | 1 | **ENG Lower Console Panel's Finish Black Wrinkle |
| 162 | | 1 | **ENG Lower Console Position 1 -Transmission Shift PadPump Shift. |
| 163 | | 1 | **REV C.0** **ENG Lower Console Position 2 Switch #1: Jake On/Off. Switch #2: Low/Med/High. Switch #3: High Idle. Switch #4: Q2B Siren/Street Horn Selector/Air Horn. Switch #5: ASR Disconnect Switch #6: Gen. PTO (Yellow Bezel) |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|--|
| | | | Switch #7: PTO Lad/Jack. (Red Bezel) |
| 164 | | 1 | **ENG Lower Console Position 3 -Parking BrakeElectronic Siren -12V PowerPoints (called out below). |
| 165 | | 1 | **ENG Lower Console Position 4 -Blank. |
| 166 | | 1 | **ENG Lower Console Position 5 Switch #1: Emergency master Switch #2: Q2B Siren. Switch #3: Q2B Brake. |
| 167 | 30010600 | 1 | CAB PUMP SHIFT, AIR |
| 168 | 29910100 | 1 | PROGRAMMABLE LOAD MANAGER, CLASS-1 SUPERNODE II |
| 169 | 30031100 | 1 | HIGH IDLE SWITCH |
| 170 | 30031771 | 1 | 12V POWER POINT, (1) |
| 171 | | 1 | **ENG Power Point Location #1: Lower Console Position 3, Driver's corner. |
| 172 | 30031801 | 1 | 12V DUAL PORT USB POWER POINT, (1) |
| 173 | | 1 | **ENG USB Power Point Location #1: Lower Console Position 3, Officer's corner. |
| 174 | 84541540 | 1 | POWER & GROUND STUDS, UPPER COMMAND CONSOLE |
| 175 | | 1 | **ENG Requirements (AMPS) for Power/Ground Studs in Upper Command Console: (1) 12-volt 60-amp, direct to the battery. (1) 12-volt 30-amp controlled by the ignition switch. (1) 12-volt 125-amp ground. |
| 176 | 84541550 | 1 | **REV A.0** POWER & GROUND STUDS, UNDER OFFICER'S SEAT |
| 177 | | 1 | **ENG Requirements (AMPS) for Power/Ground Studs in Lower Command Console: (1) 12-volt 40-amp controlled by the battery switch (1) 12-volt 100-amp ground (1) 12-volt 60-amp controlled by the ignition switch One (1) 12-volt 60-amp, direct to the battery |
| 178 | 30110000 | 1 | VEHICLE DATA RECORDER, AKRON/WELDON |
| 179 | 30088888 | 1 | **REV A.0** SPECIAL ITEM, INSTALL CUSTOMER PROVIDED KNOX BOX AND STROBE |
| 180 | | 1 | **ENG Knox Mounted under the officer seat. Remote mount and wire strobe light in overhead console panel 6 |
| 181 | 33510030 | 1 | INTERIOR CAB LIGHTS, RED/CLEAR LED (2) |
| 182 | 34010035 | 1 | INTERIOR CREW LIGHTS, RED/CLEAR LED (3) |
| 183 | 33530652 | 1 | INTERIOR CAB DOOR WARNING LIGHTS, WHELEN 500 TIR6 LED, 50*03Z*R (QTY 4) |
| 184 | | 1 | **ENG Cab Door Light Color Blue |
| 185 | 28010740 | 1 | DEFROSTER, HEATER & A/C (COMPACT) |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|--|
| 186 | 28090003 | 1 | HEAT TO FEET |
| 187 | 28030500 | 1 | DEFROSTER DUCTWORK, ENTIRE WINDSHIELD |
| 188 | 11031687 | 1 | TOOL MOUNTING PLATE, 25" x 19.5", TOP OF HEAT/AC UNIT |
| 189 | 11031690 | 1 | STORAGE COMPT, BACK OF HEAT/AC UNIT |
| 190 | | | **ENG CHF-4687 and delete the middle two dividers. Only need the two outside dividers for mobile radios. |
| 191 | 28030000 | 1 | METAL VENT COVERS FOR DEFROSTER/AC |
| 192 | 28031000 | 1 | FAN, 12 VOLT, DRIVER'S SIDE |
| 193 | 28031100 | 1 | FAN, 12 VOLT, OFFICER'S SIDE |
| 194 | 28088888 | 1 | SPECIAL ITEM, DRIVER'S SIDE MASTER FAN SWITCH |
| 195 | 38510104 | 1 | DRIVER'S SEAT, BOSTROM SIERRA HIGH BACK ABTS AIR RIDE (DURAWEAR PLUS, LOW SEAM) |
| 196 | 38320000 | 1 | HELMET STORED IN COMPARTMENT |
| 197 | 39010118 | 1 | OFFICER'S SEAT, BOSTROM TANKER 450, ABTS SCBA (DURAWEAR PLUS, LOW SEAM) |
| 198 | 39030020 | 1 | OFFICER'S SEAT COMPT, FRONT DOOR |
| 199 | 38320000 | 1 | HELMET STORED IN COMPARTMENT |
| 200 | 11038888 | 1 | **REV A.0** EMS CABINET, REAR FACING, DRIVER SIDE, EXTERIOR HINGED & INTERIOR NETTING |
| 201 | | 1 | **ENG Netting with plastic clips in lieu of roll-up door. Cabinet dimensions are 23"W x 22"D x 44"H. Exterior door clear opening is 12.75" wide. Doors to be double striker, top and bottom with d-ring as low in door as possible. Make the interior opening as large as possible with the netting since a header is no longer required for a door roll. Push pull switch for door light. 1 shelf only. Reference HS-4916 for exterior door. |
| 202 | 11038888 | 1 | **REV B.0** EMS CABINET, REAR FACING, OFFICER SIDE, EXTERIOR HINGED & INTERIOR HINGED DOOR |
| 203 | | 1 | **ENG Aluminum hinged panel with push button latch in lieu of roll-up door. Door hinge to be inboard. Cabinet dimensions are 23"W x 22"D x 44"H. Exterior door clear opening is 12.75" wide. Doors to be double striker, top and bottom with d-ring as low in door as possible. Make the interior door opening as large as possible since a header is no longer required for a door roll. 1 shelf only. Reference HS-4916 for exterior door. Locking d-ring handle |
| 204 | 11038888 | 1 | **REV B.0** OFFICER SIDE EMS EXTERIOR DOOR TO HAVE LOCKING D-RING HANDLE |
| 205 | 39521465 | 1 | CREW SEAT 3, BOSTROM TANKER 450, ABTS SCBA (DURAWEAR PLUS, LOW SEAM) - FIXED BASE SEAT |
| 206 | | 1 | Forward facing seats spaced evenly on seat box. |
| 207 | 38320000 | 1 | HELMET STORED IN COMPARTMENT |
| 208 | 39521461 | 1 | CREW SEAT 4, BOSTROM TANKER 450, ABTS SCBA (DURAWEAR PLUS, LOW SEAM) – FIXED BASE SEAT |
| 209 | | 1 | Forward facing seats spaced evenly on seat box. |
| 210 | 38320000 | 1 | HELMET STORED IN COMPARTMENT |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|---|
| 211 | 39550100 | 1 | SEAT COLOR, GRAY |
| 212 | 39610115 | 3 | SCBA BRACKETS, IMMI SMART DOCK (3) |
| 213 | | 1 | **ENG Low Profile Smart Dock SCBA For Forward Facing Seats |
| 214 | 38410000 | 1 | SEAT BELT WARNING SYSTEM, AKRON / WELDON |
| 215 | 39710015 | 1 | CREW SEAT COMPT, FRONT DROP-DOWN DOORS (73" CAB) |
| 216 | 11031740 | 1 | OVERHEAD STORAGE, FRONT OF 10" RR W/NET |
| 217 | 84541700 | 2 | **REV A.0** INSTALLATION OF CUSTOMERS 2-WAY RADIO ANTENNA (2) |
| 218 | | 1 | **ENG Antenna Termination Location#1 Under officer seat. Customer supplied antenna mount |
| 219 | 30080110 | 1 | HD STEREO, JENSEN, AM/FM/WB/CD |
| 220 | | | **ENG Overhead console 2 |
| 221 | 84530220 | 1 | WIRED INTERCOM, FIRECOM 5100D, SINGLE RADIO, 5 POSITION |
| 222 | | 1 | **REV A.0** **ENG Intercom Special Requirements (Radio Interface, Etc.) (1) 5100D intercom master station (2) FH-51 headsets for driver and officer (No Headset needed for pump panel) (2) FH-52 headsets for crew (4) HM-10 plug modules in the cab (1) PP-20 weatherproof plug module at the pump panel (1) HE-150 15' coiled extension cable for the pump panel connection (1) Mobile radio interface cable as required (Radio Model: Motorola XTL2500) (4) Headset hooks |
| 223 | 84561010 | 1 | CAMERA SYSTEM, FRC, INVIEW TRUEVIEW, SINGLE CAMERA (WIRED) |
| 224 | | 1 | **ENG Camera Mounting Location Rear of Body. Monitor mounted in cab below A/C controls |
| 225 | 30030100 | 1 | OFFICER'S SIDE SPEEDOMETER |
| 226 | | 1 | **ENG Upper console panel 6 |
| 227 | 60012305 | 1 | QMAX-1500 GPM 6" SUCTION SINGLE STAGE PUMP |
| 228 | 60025000 | 1 | GEARBOX, HALE, G-SERIES, REAR MOUNTED |
| 229 | 60026020 | 1 | **REV A.0** PUMP PACKING, MECHANICAL |
| 230 | 60031005 | 1 | ALLOY ANODES, HALE |
| 231 | 60035121 | 1 | PUMP TEST, MISTRAS GROUP, INC |
| 232 | 61510000 | 1 | AUXILIARY COOLER (HEAT EXCHANGER) |
| 233 | 62010002 | 1 | STAINLESS STEEL PIPING |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|---|
| 234 | 66020100 | 1 | 3" TANK TO PUMP W/CHECK VALVE |
| 235 | 61720100 | 1 | VALVE, AKRON HEAVY DUTY |
| 236 | 61770120 | 1 | ACTUATOR, VALVE, PUSH/PULL HANDLE, INNOVATIVE CONTROLS |
| 237 | 73010100 | 1 | TANK FILL 1.5" |
| 238 | 61720100 | 1 | VALVE, AKRON HEAVY DUTY |
| 239 | 61770120 | 1 | ACTUATOR, VALVE, PUSH/PULL HANDLE, INNOVATIVE CONTROLS |
| 240 | 61020005 | 1 | PRESSURE GOVERNOR, FIRE RESEARCH, PUMP BOSS |
| 241 | 61210410 | 1 | INTAKE PRESSURE CONTROL, TFT A1831 |
| 242 | 63021100 | 1 | 6" MAIN SUCTION, LEFT SIDE |
| 243 | 63030400 | 1 | **REV A.0** HALE MASTER INTAKE VALVE, MANUAL CONTROL |
| 244 | 63034650 | 1 | ADAPTER, 6" NST FE X 5" STORZ, 30 DEGREE W/CAP & CHAIN, TFT |
| 245 | 65030000 | 1 | 2.5" LEFT SIDE INLET |
| 246 | 61720100 | 1 | VALVE, AKRON HEAVY DUTY |
| 247 | 61770100 | 1 | ACTUATOR, VALVE, SWING HANDLE |
| 248 | 60036010 | 1 | THREADS, NST |
| 249 | 63025100 | 1 | 6" MAIN SUCTION, RIGHT SIDE |
| 250 | 63030400 | 1 | **REV A.0** HALE MASTER INTAKE VALVE, MANUAL CONTROL |
| 251 | 63034650 | 1 | ADAPTER, 6" NST FE X 5" STORZ, 30 DEGREE W/CAP & CHAIN, TFT |
| 252 | 64030000 | 1 | 2.5" RIGHT SIDE INLET |
| 253 | 61720100 | 1 | VALVE, AKRON HEAVY DUTY |
| 254 | 61770100 | 1 | ACTUATOR, VALVE, SWING HANDLE |
| 255 | 60036010 | 1 | THREADS, NST |
| 256 | 70525125 | 1 | 2.5" DISCHARGE, LEFT - POSITION 1 |
| 257 | 61720100 | 1 | VALVE, AKRON HEAVY DUTY |
| 258 | 61770100 | 1 | ACTUATOR, VALVE, SWING HANDLE |
| 259 | 77021010 | 1 | GAUGE, DISCH, INNOVATIVE CONTROLS 2.5" |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|---|
| 260 | 60036010 | 1 | THREADS, NST |
| 261 | 61840100 | 1 | ADAPTER, 2.5"NST FE X 1.5" NST M W/CAP & CHAIN |
| 262 | 70525125 | 1 | 2.5" DISCHARGE, LEFT - POSITION 2 |
| 263 | 61720100 | 1 | VALVE, AKRON HEAVY DUTY |
| 264 | 61770100 | 1 | ACTUATOR, VALVE, SWING HANDLE |
| 265 | 77021010 | 1 | GAUGE, DISCH, INNOVATIVE CONTROLS 2.5" |
| 266 | 60036010 | 1 | THREADS, NST |
| 267 | 61840100 | 1 | ADAPTER, 2.5"NST FE X 1.5" NST M W/CAP & CHAIN |
| 268 | 71025130 | 1 | 3" DISCHARGE, RIGHT - POSITION 3 – PLUMB STRAIGHT |
| 269 | 61720110 | 1 | VALVE, AKRON SLOW CLOSE |
| 270 | 61770100 | 1 | ACTUATOR, VALVE, SWING HANDLE |
| 271 | 77021010 | 1 | GAUGE, DISCH, INNOVATIVE CONTROLS 2.5" |
| 272 | 60036010 | 1 | THREADS, NST |
| 273 | 61840260 | 1 | ADAPTER, 3" NST FE X 5" STORZ 30 DEG W/CAP & CHAIN, TFT |
| 274 | 71025125 | 1 | 2.5" DISCHARGE, RIGHT - POSITION 4 |
| 275 | 61720100 | 1 | VALVE, AKRON HEAVY DUTY |
| 276 | 61770100 | 1 | ACTUATOR, VALVE, SWING HANDLE |
| 277 | 77021010 | 1 | GAUGE, DISCH, INNOVATIVE CONTROLS 2.5" |
| 278 | 60036010 | 1 | THREADS, NST |
| 279 | 61840100 | 1 | ADAPTER, 2.5"NST FE X 1.5" NST M W/CAP & CHAIN |
| 280 | 72130100 | 1 | DISCHARGE 2.5" UPPER LEFT SIDE BODY |
| 281 | 61720100 | 1 | VALVE, AKRON HEAVY DUTY |
| 282 | 61770120 | 1 | ACTUATOR, VALVE, PUSH/PULL HANDLE, INNOVATIVE CONTROLS |
| 283 | 77021010 | 1 | GAUGE, DISCH, INNOVATIVE CONTROLS 2.5" |
| 284 | 60036010 | 1 | THREADS, NST |
| 285 | 72230012 | 1 | DISCHARGE 1.5" FRONT BUMPER, 2" PLUMBING (AERIALS) |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|---|
| 286 | 61720100 | 1 | VALVE, AKRON HEAVY DUTY |
| 287 | 61770120 | 1 | ACTUATOR, VALVE, PUSH/PULL HANDLE, INNOVATIVE CONTROLS |
| 288 | 77021010 | 1 | GAUGE, DISCH, INNOVATIVE CONTROLS 2.5" |
| 289 | 60036010 | 1 | THREADS, NST |
| 290 | | 1 | **ENG Front Bumper Swivel Location/Side = Officer's side. |
| 291 | | 1 | **ENG Front Discharge Swivel Location/Trough = Top of Bumper. |
| 292 | 72288888 | 1 | SPECIAL ITEM, SECOND 1.5" FRONT BUMPER DISCHARGE |
| 293 | | 1 | **ENG Two 2" bumper lines, one plumbed to each side of the bumper, w/ 1.5" swivel on top of bumper. 100' of 1 3/4" hose for trash line 200' of 1 3/4" hose for "third crosslay" |
| 294 | 72810000 | 1 | TWO CROSSLAYS 2" VALVE-PIPING 1.5" SWIVEL |
| 295 | | 1 | **ENG Crosslay Hose Load Requirement = Position crosslay divider so rear crosslay has 11.5" of width. |
| 296 | 61720100 | 2 | VALVE, AKRON HEAVY DUTY (2) |
| 297 | 61770120 | 2 | ACTUATOR, VALVE, PUSH/PULL HANDLE, INNOVATIVE CONTROLS (2) |
| 298 | 77021010 | 2 | GAUGE, DISCH, INNOVATIVE CONTROLS 2.5" (2) |
| 299 | 60036010 | 2 | THREADS, NST (2) |
| 300 | 72910510 | 1 | COVER, VINYL FOR CROSSLAYS (AERIALS) |
| 301 | | 1 | **ENG Crosslay/Speedlay Cover Color = Black |
| 302 | | 1 | **ENG Crosslay cover to be vinyl on top with webbing style netting on side. Side flaps to be fixed to top vinyl cover and have shock cords. |
| 303 | 61742000 | 1 | MASTER PUMP DRAIN, MULTIPORT |
| 304 | 61730005 | 10 | DRAIN VALVES, INNOVATIVE CONTROLS, LIFT-UP (10) |
| 305 | 78521430 | 1 | WATERWAY CONTROL, 3" VALVE, AKRON 9325 ELECTRIC ACTUATOR |
| 306 | 61910100 | 1 | WATERWAY DRAIN VALVE, AKRON 1.5" PUSH/PULL CONTROL |
| 307 | 74920310 | 1 | MT SM1 - SIDE MOUNT PUMP PANEL |
| 308 | 74930500 | 1 | PANEL FINISH, BLACK VINYL |
| 309 | 74931000 | 1 | ESCUTCHEON PLATES |
| 310 | 74931050 | 1 | **REV A.0** COLOR CODING |
| 311 | | 1 | **ENG Front Bumper #1 - Blue Front Bumper #2 - Red |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|---|
| | | | 2.5" Upper Rear – Green Front Crosslay – Yellow Rear Crosslay – White Discharge #1 - Black Discharge #2 - Orange Discharge #3 – Yellow/White Discharge #4 - Pink Tank Fill – Lime Green Tank-to-Pump - Burgundy Waterway - Purple Inlets - Burgundy |
| 312 | 75040210 | 1 | TROUGH IN RUNNING BOARD, RIGHT SIDE, FULL WIDTH |
| 313 | | 1 | **ENG Trough to be full width of running board. |
| 314 | | 1 | **ENG Right Trough Cover = Velcro Straps. |
| 315 | 75510200 | 1 | PUMP PANEL LIGHTS, LED |
| 316 | 75530100 | 1 | LIGHT ON OPPOSITE SIDE PUMP PANEL, LED |
| 317 | 76010105 | 1 | PUMP PANEL GAUGES & CONTROLS |
| 318 | 60028050 | 1 | PUMP PRIMER, TRIDENT, AIR |
| 319 | 60028310 | 1 | (1) PRIMER BUTTON - MAIN SUCTION |
| 320 | 76025100 | 1 | COMPRESSION FITTINGS ON AIR SYSTEM (CTZ PUMP MODULE) |
| 321 | 76030805 | 1 | HALE TRV-L THERMAL RELIEF VALVE WITH LIGHT AT PUMP PANEL |
| 322 | 76030400 | 1 | MC GAUGE HEATER BOX WITH FOUR TAPES |
| 323 | | 1 | **ENG each line individually taped and wrapped in Loom. Mount the sensor down low away from the panel heater. |
| 324 | 76030401 | 7 | ADDITIONAL MC HEAT TAPES (7) |
| 325 | 76031850 | 1 | HOT WATER HEATER AT PUMP PANEL (AERIALS) |
| 326 | 76510060 | 1 | GAUGES, MASTER, INNOVATIVE CONTROLS, 4" |
| 327 | 77510060 | 1 | GAUGE, WATER LEVEL, FIRE RESEARCH, TANKVISION |
| 328 | 77532220 | 1 | GAUGE, WATER LEVEL, FRC MAXVISION REMOTE (2) - On with parking brake |
| 329 | | 1 | **ENG FRC MaxVision Gauge Location 1 = Driver's side of Cab, behind Crew Door, high. |
| 330 | | 1 | **ENG FRC MaxVision Gauge Location 2 = Officer's side of Cab, behind Crew Door, high. |
| 331 | 76031700 | 1 | **REV A.0** FUEL GAUGE ON PUMP PANEL |
| 332 | 83525200 | 1 | WATER TANK BRAND, UPF |
| 333 | 83520425 | 1 | WATER TANK, 500 GAL, POLY |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|--|
| 334 | 80126040 | 1 | BODY SAA-4, LEFT HIGH / RIGHT INTERMED / TRANS |
| 335 | 80038888 | 4 | **REV A.0** ZIAMATIC EXTINGUISHER CRADLES IN HYDRAULIC COMPARTMENT (4) |
| 336 | | 1 | **ENG 4 extinguisher cradles AX#031647 mounted in hydraulic compartment forward of the generator. Non-vented front wall. Shelf with Ziamatic cradles for extinguishers. |
| 337 | 80030002 | 1 | STAINLESS STEEL SUBFRAME, BODY & PUMP MODULE, SINGLE AXLE AERIALS |
| 338 | 81150100 | 1 | **REV A.0** 250# ROLL OUT DRAWER ADJUSTABLE TRACK [CAB EXT. COMPT.] (1) |
| 339 | 81130200 | 1 | **ENG Add a 250# tray in the driver side exterior cab compartment, mounted to the floor. Tray to have 6" sides and back wall with a divider in the middle. Bolt the divider on the tray, do not weld. Body facility to install tray. |
| 340 | 81150100 | 1 | **REV A.0** 250# ROLL OUT DRAWER ADJUSTABLE TRACK [L1] (1) |
| 341 | | 1 | **ENG 20" of clearance below to the floor, full height inboard wall and right side wall up to breaker panel, notch around the breaker panel. Front wall to be half the height of inboard wall. Outboard wall to be 2" deep. |
| 342 | 81150900 | 1 | INCREASE DEPTH OF TRAY (OVER 2") [L1] (1) |
| 343 | 80280410 | 1 | **REV A.0** 3/16" ALUMINUM MOUNTING PLATE (PER WALL) [L2] (1) |
| 344 | | 1 | **ENG Inboard wall, swirl finish |
| 345 | 81130200 | 1 | **REV A.0** ADJUSTABLE SHELF [L2] (1) |
| 346 | 80280410 | 3 | **REV A.0** 3/16" ALUMINUM MOUNTING PLATE (PER WALL) [L3] (3) |
| 347 | | 1 | **ENG Swirl Finish |
| 348 | 81140100 | 1 | **REV A.0** FIXED VERTICAL DIVIDER [L4] (1) |
| 349 | | 1 | **ENG To the front of the compartment with 13" of clear opening space forward. Swirl Finish |
| 350 | 80280410 | 2 | **REV A.0** 3/16" ALUMINUM MOUNTING PLATE (PER WALL) [L4] (2) |
| 351 | | 1 | **ENG 1 on the left wall, one against the inboard wall with flanges on the sides, bolted to the left toolboard and fixed divider. Both full height. Swirl finish |
| 352 | 81130200 | 2 | **REV A.0** ADJUSTABLE SHELF [L4] (2) |
| 353 | | 1 | **ENG Both right of the divider, equally spaced |
| 354 | 81130200 | 1 | **REV A.0** ADJUSTABLE SHELF [R1] (1) |
| 355 | 8113888 | 1 | **REV A.0** SLOPED FLOOR RISER [R3] (1) |
| 356 | | 1 | **ENG 2" rise in the front, sloped front to back |
| 357 | 81130200 | 1 | **REV A.0** ADJUSTABLE SHELF [R3] (1) |
| 358 | 81150300 | 1 | 600# SLIDE-MASTER TRAY [R4] (1) |
| 359 | | 1 | **REV C.0** **ENG R4 tray to be as large as possible. All the way up to the A1 tray and as close to the strut box and closeout panel as possible |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|--|
| 360 | 81130200 | 1 | **REV A.0** ADJUSTABLE SHELF [R4] (1) |
| 361 | | 1 | **ENG 100% pull-out |
| 362 | 81188888 | 1 | **REV A.0** SPECIAL ITEM, 4 SLOT CHUTE FOR STRUT STORAGE [R4] (1) |
| 363 | | 1 | **ENG 4 slot chute for struts bolted to the transverse wall. FD to provide strut dimensions |
| 364 | 81150302 | 1 | 1000# SLIDE-MASTER TRAY [A1] (1) |
| 365 | 80250100 | 14 | **REV A.0** TURTLE TILE ON COMPT FLOOR, SHELF, TRAY OR DRAWER [L1] (14) |
| 366 | | 1 | **ENG Turtle Tile Color = Black |
| 367 | 81165705 | 1 | UNISTRUT TRACK IN COMPTS |
| 368 | 80220340 | 1 | COMPT DOORS, AMDOR ROLL-UP, PAINTED |
| 369 | | 1 | **L2 will be an overhead slam door. |
| 370 | 80225100 | 1 | REAR COMPT DOOR (A1) AMDOR ROLL-UP, SATIN FINISH |
| 371 | 84530910 | 1 | COMPT LIGHTING, LED LIGHT STRIPS, 2 PER COMPT |
| 372 | 81320300 | 1 | HOSEBED, SA75, SL75, SP70 |
| 373 | | 1 | **ENG List the Hose Bed Hose Load Req. = 1,000' of 5" |
| 374 | 81410000 | 1 | **REV A.0** COVER, VINYL, MAIN HOSE BED |
| 375 | | 1 | **ENG Hosebed Cover Color = Black |
| 376 | | 1 | **ENG Hosebed Cover Fastener = Black vinyl top cover with snaps on side, awning rail front on the tank header. Rear flap to be sewn in webbing with shock cords. |
| 377 | 81340100 | 1 | HOSEBED ABOVE LEFT SIDE BODY |
| 378 | 81430100 | 1 | COVER, VINYL, FOR ADDT'L UPPER BODY HOSEBED |
| 379 | | 1 | **ENG Black vinyl with awning rail outboard, shock cords inboard, webbing on the back flap. |
| 380 | 81910300 | 1 | HANDRAILS, KNURLED STS, 70, 75, & 100 |
| 381 | 82014300 | 1 | STEPS, IC FOLD DOWN W/LIGHT & PULL-OUT(70, 75 & 100) |
| 382 | 82520000 | 1 | RUB RAILS, EXTRUDED ALUM |
| 383 | 83010100 | 1 | ALUMINUM TREADPLATE (AERIALS) |
| 384 | 80231200 | 1 | 5 SCBA CYLINDER COMPTS |
| 385 | | 1 | **ENG FENDER CONFIGURATION: |
| | | _ | DRIVER'S SIDE - DOUBLE BOTTLE STORAGE FRONT, COMBO BOTTLE/FUEL DOOR REAR |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|--|
| | | | OFFICER'S SIDE - SPEEDY DRY HOPPER FRONT, DOUBLE BOTTLE HOLDER REAR |
| 386 | 89988888 | 1 | SPECIAL ITEM, STAINLESS STEEL COMPARTMENT TOPS OFFICER'S SIDE |
| 387 | 89988888 | 1 | SPECIAL ITEM, SPEEDY DRY HOPPER IN OFFICERS SIDE FENDER |
| 388 | | 1 | **ENG Officer Side, front. No latch on lid |
| 389 | 89988888 | 1 | SPECIAL ITEM, REAR TAILBOARD TO HAVE 45 DEGREE CORNERS |
| 390 | | 1 | **ENG Full length miter |
| 391 | 89020330 | 1 | LADDERS, DUO-SAFETY CUSTOM (MT) 109' 10'F, 10'F, 16R', 14R' 24'-2sec, 35'-3sec |
| 392 | | 1 | **ENG 585-A 10' FOLDING – Fly section of aerial 585-A 10' FOLDING – Zico Ladder Rack 775-A 14' ROOF – Zico Ladder Rack 875-A 16' ROOF – Base Section of Aerial 900-A 24' 2-SECTION – Ladder Chute in Body 1225-A 35' 3-SECTION – Zico Ladder Rack |
| 393 | 89088888 | 1 | SPECIAL ITEM, ROOF LADDERS TO HAVE HOOKS BOTH ENDS |
| 394 | 89088888 | 1 | SPECIAL ITEM, ZICO DROP DOWN LADDER RACK |
| 395 | | 1 | **ENG 3 section 35' and 14' roof mounted on zico drop down rack. 24' two section stored on beam behind side metal. This ladder will protrude out the rear of the body. Secure with Velcro strap. The ladder rack will come equipped with an interlock to prevent the ladder rack from dropping down on the R2 door, speedy dry hopper and SCBA door on the officer side. |
| 396 | 8908888 | 1 | **REV A.0** STORAGE CHUTE, INBOARD OF LADDER CHUTE |
| 397 | | 1 | Add chute inboard of ladder chute, 9' deep with a door, full height. Add a shelf, halfway up, recessed 18" from rear opening. |
| 398 | 89088888 | 1 | 16' ROOF LADDER MOUNTED ON BASE SECTION OF AERIAL |
| 399 | 84550199 | 1 | LICENSE PLATE BRACKET - NOT PROVIDED |
| 400 | 84511100 | 1 | BODY ELECTRICAL DESCRIPTION |
| 401 | 84520000 | 1 | BACK UP ALARM, ECCO SA917 |
| 402 | 85010420 | 1 | TAILLIGHTS, WHELEN M6 SERIES, LED STOP/TAIL/TURN/REVERSE, QUAD HOUSING (PAIR) - CLEAR LENSES |
| 403 | 85110100 | 1 | ICC LIGHTS, LED |
| 404 | 85130100 | 1 | MARKER LIGHTS, BRITAX, FLEXIBLE, LED (PAIR) |
| 405 | 85510210 | 1 | STEP LIGHTS, LED, WHELEN 2G AT PUMP PANEL & REAR BODY |
| 406 | 85710010 | 1 | UNDERCARRIAGE GROUND LIGHTS, LED |
| 407 | 86520200 | 1 | **REV A.0** REAR WORK LIGHTS, (2) RIGID D2 DIFFUSION FLOOD, LED |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|---|
| 408 | 86600000 | 1 | OPTICAL WARNING SYSTEM, UPPER |
| 409 | 86610130 | 1 | UPPER WARNING LIGHTS, ZONE A (FRONT), WHELEN FREEDOM IV 72" LED LIGHT BAR, F4N7QLED, 14 MODULES |
| 410 | | 1 | **ENG Zone A, Upper Lightbar Color / Details = 12 Red LED's, 2 White LED's, clear lenses. |
| 411 | | 1 | **ENG Upper Warning Lights Note: Body Facility to provide/install lightbar |
| 412 | 86910110 | 1 | OPTICOM, INSTALLED IN LIGHT BAR, GTT 795H LED (FOR WHELEN LIGHTBAR) |
| 413 | | 1 | **ENG Opticom Note: Body Facility to provide/install Opticom |
| 414 | 86699999 | 1 | UPPER WARNING LIGHTS, ZONE B (OFFICER'S SIDE), COVERED BY ZONES A & C |
| 415 | 86710120 | 1 | UPPER WARNING LIGHTS, ZONE C (REAR), WHELEN LED BEACONS, MCFLED2* (PAIR) |
| 416 | | 1 | **ENG Zone C, Upper Rear Beacon Color/Details = Driver blue led, Officer red led, both clear lenses |
| 417 | 86899999 | 1 | UPPER WARNING LIGHTS, ZONE D (DRIVER'S SIDE), COVERED BY ZONES A & C |
| 418 | 87100000 | 1 | OPTICAL WARNING SYSTEM, LOWER |
| 419 | 87110210 | 1 | LOWER WARNING LIGHTS, ZONE A (FRONT), WHELEN M6 LED, M6* (QTY 4) |
| 420 | | 1 | **ENG Zone A, Lower Warning Light Color, Lens Color, Details = Red LED, Clear Lens |
| 421 | 87811130 | 1 | LOWER, ZONE A - MOUNTING LOCATION (DUAL HOUSINGS) |
| 422 | | 1 | **ENG Zone A, Lower - Front, Mounting Location = (2) Warnings in top headlight housing, each side. |
| 423 | 87210210 | 1 | LOWER WARNING LIGHTS, ZONE B (OFFICER'S SIDE), WHELEN M6 LED, M6* (QTY 3) |
| 424 | | 1 | **ENG Zone B, Lower Officer's Side Warning Light Color, Lens Color, Details = Red LED, Clear Lens |
| 425 | 87812130 | 1 | LOWER, ZONE B - MOUNTING LOCATION (SL75, SA75) |
| 426 | | 1 | **ENG Zone B, Lower - Officer's Side, Mounting Location = The lights shall be installed one near the front corner of the apparatus, one near the middle of the apparatus, and one near the rear axle. |
| 427 | 87310200 | 1 | LOWER WARNING LIGHTS, ZONE C (REAR), WHELEN M6 LED, M6* (QTY 2) |
| 428 | | 1 | **ENG Zone C, Lower Rear Warning Light Color, Lens Color, Details = Red LED, Clear Lens |
| 429 | 87410210 | 1 | LOWER WARNING LIGHTS, ZONE D (DRIVER'S SIDE), WHELEN M6 LED, M6* (QTY 3) |
| 430 | | 1 | **ENG Zone D, Lower Driver's Side Warning Light Color, Lens Color, Details = Red LED, Clear Lens |
| 431 | 87814130 | 1 | LOWER, ZONE D - MOUNTING LOCATION (SL75, SA75) |
| 432 | | 1 | **ENG Zone D, Lower - Driver's Side, Mounting Location = The lights shall be installed one near the front corner of the apparatus, one near the middle of the apparatus, and one near the rear axle. |
| 433 | 87537734 | 2 | ADDITIONAL WARNING LIGHTS, WHELEN M6 LED, M6* (PAIR) (2) |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|---|
| 434 | | 1 | **ENG Whelen M6 LED Warning Light Color = Red |
| 435 | | 1 | **ENG Whelen M6 LED Lens Color = Clear |
| 436 | | 1 | **ENG Whelen M6 LED Mounting Location = Each side of bumper in the recessed pockets, each side of cab above exterior compartments |
| 437 | | 1 | **ENG Additional Whelen M6 LED Warning Lights Note: Body Facility to provide/install Additional M6 LED Warning Lights |
| 438 | 87537505 | 1 | **REV A.0** WARNING LIGHT, ROTO-RAY, LED |
| 439 | | 1 | **ENG Red/Red/White LED |
| 440 | 88390902 | 1 | **REV A.0** LIGHT, FR SPECTRA, LED, BROW 20K LUMENS, 12V (1) |
| 441 | | 1 | **ENG Scene Light Housings Color= Black |
| 442 | 88390912 | 2 | LIGHT, FR SPECTRA, LED, SURFACE MNT, 20K LUMENS, 12V (2) |
| 443 | | 1 | **ENG Scene Light Housings Color= Black |
| 444 | | 1 | **ENG Mounted on the side of the cab above the EMS doors |
| 445 | 86588888 | 1 | **REV A.0** ADDITIONAL TURNTABLE LIGHTING |
| 446 | | 1 | **ENG Amdor compartment light strips under side plates and Tecniq E10 ground lights on aerial step for turntable illumination. Switched with upper power. |
| 447 | 86537816 | 1 | SCENE LIGHTS, WHELEN M9 LED, SURFACE MOUNT (PAIR) (1) |
| 448 | | 1 | **ENG Light Mounting Location & Switching = Back of the body, switched with rear scene and reverse gear |
| 449 | 88230607 | 1 | GENERATOR, HARRISON, 8KW HYD MT |
| 450 | 88250405 | 1 | CIRCUIT BREAKER PANEL WITH 8 SPACES FOR BREAKERS |
| 451 | 88251100 | 1 | BREAKER PANEL, STD LOCATION (L1) |
| 452 | 88232025 | 1 | AUTOMATIC TRANSFER SWITCH, PROGRESSIVE DYNAMICS, PD5100 |
| 453 | | 1 | **ENG Transfer Switch Outlets = All shoreline outlets |
| 454 | 88431300 | 1 | **REV A.0** HANNAY ECR-1616-17-18 REEL W/150' 10/3 (1) |
| 455 | | 1 | **ENG Reel Mounting Location #1 = Below Generator |
| 456 | | 1 | **ENG Reel Motor Location #1 = Right Front |
| 457 | 88432000 | 1 | AKRON FOUR-WAY RECEPTACLE BOX, WIRED TO REEL CABLE (1) |
| 458 | | 1 | **ENG (4) Main NEMA Numbers Receptacles= All 20 amp household |
| 459 | | 1 | **ENG Receptacle Box, Hardwired, Pig Tail Or Recessed Plug = Hardwired |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|---|
| 460 | 88390830 | 3 | LIGHT, FR SPECTRA, LED, FIXED, 20K LUMENS, 240V (3) |
| 461 | | 1 | **ENG Fire Research Spectra LED Scene Light Details = 2 on the body, 1 on the tip of the aerial. Fixed swivel mount, switches on the lamp head. |
| 462 | | 1 | **ENG Scene Light Housings Color= Black |
| 463 | 10040220 | 1 | MODEL SL75, AERIAL COMPONENTS |
| 464 | 95010350 | 1 | AERIAL LADDER, SL75 |
| 465 | 95012100 | 1 | LIFTING CYLINDERS - SL75 |
| 466 | 95012200 | 1 | EXTENSION & RETRACTION - SL75 |
| 467 | 95016100 | 1 | TURNTABLE/ROTATION - SL75 |
| 468 | 95015500 | 1 | HYDRAULIC & ELECTRIC SWIVELS - SL75 |
| 469 | 95015220 | 1 | HYDRAULIC SYSTEM - SL75 |
| 470 | 95015300 | 1 | EMERGENCY AUXILIARY HYDRAULIC MOTOR |
| 471 | 95015400 | 1 | INTERLOCK - SP70, SA75, SL75 |
| 472 | 95022100 | 1 | JACKS - SCISSORS JACKS |
| 473 | 95025310 | 1 | CONTROL STATION - SL75 |
| 474 | 95025405 | 1 | DATA PLAQUES - AERIALS |
| 475 | 95025505 | 1 | OPERATIONAL TEST - LADDERS |
| 476 | 95033300 | 1 | WATERWAY - SL75 |
| 477 | 95050130 | 1 | AERIAL SPOT LIGHTS - (4) RIGID D2 SPOT, LED (SA/SL75) |
| 478 | | | **ENG Switched with upper only. |
| 479 | 95050180 | 1 | LADDER LIGHTING SYSTEM, RIGID, LED (SA/SL75, SP70) |
| 480 | | 1 | **ENG Blue LED. Switched with upper power only |
| 481 | 95088888 | 1 | SPECIAL ITEM, COSTING FOR ADDITIONAL LADDER LIGHTING LIGHTHEADS |
| 482 | | 1 | **ENG TOTAL OF SIX (6) |
| 483 | 95055500 | 1 | MONITOR, AKRON 3480 STREAM MASTER2 ELEC RF W/5178 NOZZLE (SA/SL75) |
| 484 | 95060115 | 1 | INTERCOM SYSTEM, FRC ACT 2-STATION (SA75/SL75/SLR75) |
| 485 | 95075000 | 1 | 120 VOLT UP LADDER (SA/SL75) - 20 AMP HOUSEHOLD |

| Line | Item# | Qty | Item Description/Comments |
|------|----------|-----|--|
| 486 | 96088888 | 1 | SPECIAL ITEM, 16' ROOF LADDER MOUNTED TO BASE SECTION OF BOOM |
| 487 | 89910010 | 1 | CORROSION REDUCTION PROGRAM (PROPOSALS) |
| 488 | 90010050 | 1 | STAINLESS PAINT SCHEME - STS PPRS & MINITOWER |
| 489 | 90030004 | 1 | PAINT, SINGLE TONE |
| 490 | 90030165 | 1 | PAINT FRAME RAILS, FUEL BEAM, BODY SUBFRAME, LOWER AERIAL COMPONENTS & PUMP – CAB COLOR |
| 491 | | 1 | SPECIAL ITEM, PAINT ALL SUB-FRAMES AND PUMP CAB COLOR RED |
| 492 | 90030032 | 1 | PAINT, TURNTABLE, SIDE PLATES & LIFT CYLINDER OTHER THAN SILVER |
| 493 | | 1 | **ENG Note Paint Color Other Than Silver = Black |
| 494 | 90030015 | 1 | A/C CONDENSER PAINTED ROOF COLOR |
| 495 | | 1 | **ENG Note Paint AC Condenser Color = BODY COLOR RED |
| 496 | 90088888 | 1 | SPECIAL ITEM, PAINTED GRILLE FOR GENERATOR COMPARTMENT |
| 497 | | | **ENG Painted cab color red. |
| 498 | 90510150 | 1 | 3" LETTERING, SCOTCHLITE, UP TO 40 |
| 499 | 90610200 | 1 | 6" SCOTCHLITE STRIPE AROUND TRUCK |
| 500 | | 1 | **REV A.0** **ENG See reference photos. "TRUCK 2" on the front door. "1882" on the stripe under the rear crew doors in the cab. "OSWEGO" on the front brow. "T-2" on front bumper. "OSWEGO T-2" on A1 door (Red w/black outline). Install customer supplied maltese on the rear cab doors. |
| 501 | 90630100 | 2 | 1" SCOTCHLITE STRIPE ABOVE OR BELOW - EACH (2) |
| 502 | 90682120 | 1 | CHEVRON STRIPING, REAR BODY OUTBOARD, REFLEXITE (Aerial Ladders) |
| 503 | | 1 | **ENG Chevron Striping, Rear Body Color = #030 Red Transparent & #L2 Fluorescent Lime. |
| 504 | 90574100 | 1 | **REV A.0** INSTALL FIRE DEPT EMBLEMS (Pair) |
| 505 | 90710300 | 1 | BOOM SIGN, 75' AERIALS |
| 506 | | 1 | **ENG State Boom Sign Paint Color = Upper Cab color |
| 507 | 90750000 | 1 | **REV A.0** BOOM SIGN LARGER THAN STD |
| 508 | 90720100 | 1 | 6" LETTERING FOR BOOM SIGN (SA/SL/SLR75, SL100, SP70) |
| 509 | 90730275 | 4 | ADDTL SCOTCHLITE 11" LETTERS FOR BOOM SIGN (4) |
| 510 | 90688888 | 1 | SPECIAL ITEM, LADDER TIP CHEVRON LIKE CANASTOTA NY, REFLEXITE TO MATCH BODY CHEVRONS |
| 511 | 91010000 | 1 | MISC EQUIP - (1) PINT TOUCH-UP PAINT, STAINLESS STEEL NUTS & BOLTS |

| Line | Item# | Qty | Item Description/Comments |
|------|-----------|-----|--|
| 512 | 91030700 | 1 | ZIAMATIC SAC-44 FOLDING WHEEL CHOCKS (PAIR) MTD W/ SQCH-44H HOLDERS |
| 513 | | 1 | **ENG Wheel Chock Mounting Locations = Below L1 |
| 514 | 89050500 | 1 | **REV A.0** SPECIAL PIKE POLE STORAGE TUBES (2), DRIVER'S SIDE |
| 515 | | 1 | **ENG Pike Pole Storage Tubes (2), Driver's Side = (2) all-purpose hooks, (2) dry-wall hooks, (2) arson-trash hooks. Need to accommodate special pike pole heads. Engineering to figure out best way to store all the hook |
| 516 | 89050510 | 1 | PIKE POLE STORAGE TUBES (4), OFFICER'S SIDE |
| 517 | | 1 | **ENG Pike Pole Storage Tubes (4), Officer's Side = See above |
| 518 | 89088888 | 1 | SPECIAL ITEM, TWO PIKE POLE TUBES ACROSS FRONT OF HYDRAULIC COMPARTMENT |
| 519 | | 1 | **ENG storage for two (2) pike poles shall be provided on the front of the hydraulic compartment designed for deployment one each side. Use quick fist clamps. |
| 520 | 89088888 | 1 | **REV A.0** INSTALL CUSTOMER SUPPLIED MONITOR BRACKET ON BACK OF HIGHSIDE BODY ABOVE SCENE LIGHT. |
| 521 | 91053600 | 1 | **REV A.0** SPANNER WRENCHES, AKRON #2448 (2) WRENCHES W/HOLDER |
| 522 | | | **ENG Mounted under the bumper lid. Leave loose until final inspection. |
| 523 | 99010000 | 1 | MANUALS (1-PRINTED & 1-CD) WITH DVD |
| 524 | 99031195 | 1 | DEALER DELIVERY |
| 525 | 99510410 | 1 | WARRANTY, ONE YEAR - AERIALS (HILLIARD) |
| 526 | PDB001075 | 1 | DEALER SUPPLIED - WAXOYL FOR PUMPER OR SINGLE AXLE AERIAL |